

Trade name :	Lacq Stockholmer tar		
Revision date :	11.09.2014	Version (Revision) :	1.0.1 (1.0.0)
Date of print :	16-09-2014		

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Lacq Stockholmer tar (6500)

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses

Product categories [PC]

PC9A - Coatings and paints, thinners, paint removers

1.3 Details of the supplier of the safety data sheet
Supplier (manufacturer/importer/only representative/downstream
user/distributor)
Vliegenthart B.V.
Street : Zuiderhavenweg 42

Postal code/city: 4004 JJ TIEL

**Telephone :** +31 (0)344 63 33 36

**Telefax :** +31 (0)344 63 16 16

1.4 Emergency telephone number

+31 (0)344 63 33 36 (During officehours: 08:30 - 17:00 hour.)

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture Classification according to Directive 67/548/EEC or 1999/45/EC

May cause sensitization by skin contact. R 43

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Sens. 1; H317 - Skin sensitisation : Category 1; May cause an allergic skin reaction.

## 2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms





Trade name :	Lacq Stockholmer tar		
Revision date :	11.09.2014	Version (Revision) :	1.0.1 (1.0.0)
Date of print :	16-09-2014		

#### **Precautionary statements**

P102	Keep out of the reach of children.
P262	Do not get in eyes, on skin, or on clothing.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P501	Dispose of contents/container to chemicals watse depot.
Special rules for supplemental label elements for certain mixtures	
EUH208	Contains Pine tar. May produce an allergic reaction.
hav havanda	

#### 2.3 Other hazards

None

## **SECTION 3: Composition/ information on ingredients**

## 3.2 Mixtures

#### **Hazardous ingredients**

Pine tar ; EC No : 232-374-8; CAS No.	: 8011-48-1
Weight fraction :	5 - 15 %
Classification 67/548/EEC :	R43
Classification 1272/2008 [CLP] :	Skin Sens. 1 ; H317
TURPENTINE, OIL ; REACH registratio	n No. : 01-2119553060-53 ; EC No : 232-350-7; CAS No. : 8006-64-2
Weight fraction :	0 - 2,5 %
Classification 67/548/EEC :	R10 N ; R51/53 R43 Xn ; R20/21/22 Xn ; R65 Xi ; R36/38
Classification 1272/2008 [CLP] :	Flam. Liq. 3 ; H226 Asp. Tox. 1 ; H304 Acute Tox. 4 ; H302 Acute Tox. 4 ; H312 Acute Tox. 4 ; H332 Skin Irrit. 2 ; H315 Skin Sens. 1 ; H317 Eye Irrit. 2 ; H319 Aquatic Chronic 2 ; H411

#### Additional information

Full text of R-, H- and EUH-phrases: see section 16.

## 3.3 Additional information

All ingredients of this mixture are (pre)registered according to REACH regulation.

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

## **General information**

When in doubt or if symptoms are observed, get medical advice. Never give anything by mouth to an unconscious person or a person with cramps.

#### After inhalation

If breathing is irregular or stopped, administer artificial respiration.

#### In case of skin contact

After contact with skin, wash immediately with plenty of water and soap. Do not wash with: Solvents/Thinner

#### After eye contact

If possible, remove contactlenses. In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

## After ingestion



Trade name :	Lacq Stockholmer tar		
Revision date :	11.09.2014	Version (Revision) :	1.0.1 (1.0.0)
Date of print :	16-09-2014		

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Do not induce vomiting. Keep at rest.

#### **4.2 Most important symptoms and effects, both acute and delayed** No information available.

4.3 Indication of any immediate medical attention and special treatment needed None

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

## Suitable extinguishing media

Alcohol resistant foam. Extinguishing powder. Carbon dioxide (CO2). Sand. Water mist

#### Unsuitable extinguishing media

High power water jet.

## 5.2 Special hazards arising from the substance or mixture Hazardous combustion products

Fire will produce dense black smoke. Exposure to decomposition products may cause a heath hazard.

## 5.3 Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### 5.4 Additional information

Burning produces heavy smoke. Do not allow run-off from fire-fighting to enter drains or water courses. Use water spray jet to protect personnel and to cool endangered containers.

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Provide adequate ventilation. Wear breathing apparatus if exposed to vapours/dusts/aerosols. See protective measures under point 7 and 8.

## 6.2 Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

## 6.3 Methods and material for containment and cleaning up

#### For cleaning up

Treat the recovered material as prescribed in the section on waste disposal. Clean with detergents. Avoid solvent cleaners.

# 6.4 Reference to other sections

None

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling



Trade name : Revision date : Date of print : Lacq Stockholmer tar 11.09.2014 16-09-2014

Version (Revision) :

1.0.1 (1.0.0)



#### Protective measures

Only use the material in places where open light, fire and other flammable sources can be kept away. Wear personal protection equipment. (see chapter 8). If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means. Preparation may charge electrostatically: always use earthing leads when transferring from one container to another. Avoid the forming of inflammable or explosive concentrations of vapour in the air and exposure concentrations higher than permitted, Comply with the health and safety at work laws.

#### Fire prevent measures

Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours can form explosive mixtures with air.

#### 7.2 Conditions for safe storage, including any incompatibilities

## Technical measures and storage conditions

Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep container tightly closed. Never use pressure to empty: container is not a pressure vessel. No smoking. Prevent unauthorized access.

#### Requirements for storage rooms and vessels

Keep container tightly closed. Ensure adequate ventilation of the storage area. Restrict access to stockrooms.

#### Hints on joint storage

#### Keep away from

Keep away from ignition sources. Keep away from oxidizing agents, from strongly alkaline and strongly acid materials. Always keep in containers of same material as the original one. See also instructions on the label. Avoid heating and direct sunlight.

#### 7.3 Specific end use(s)

None

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

None

## 8.2 Exposure controls

#### Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

#### Personal protection equipment

#### Eye / face protection





Trade name : Revision date : Date of print : Lacq Stockholmer tar 11.09.2014 16-09-2014

Version (Revision) :

1.0.1 (1.0.0)



Long Gloves NR (natural rubber, natural latex) Recommended Thickness DIN EN 374

#### **Body protection**

For the protection against direct skin contact, body protective clothing is essential (in addition to the usual working clothes).

**Suitable protective clothing**: Personal should wear antistatic clothings made of natural fiber or of high temperature resistant synthetic fiber. All parts of the body should be washed after contact.

## **Respiratory protection**

Respiratory protection necessary at: exceeding exposure limit values If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. By spraying: air fed respirator. By other operations than spraying: in well ventilated areas, airfed respirators could be replaced by a combination of charcoal filter and particulate filter mask.

#### **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Colour :	brown
Odour :	Characteristic.
Odor Threshold value Not determined	
Safety relevant basis data	

Salety relevant basis ua	La				
Physical state :			liquid		
Melting point / melting range :			No data available		
Boiling temperature / boiling ran :	<b>ige</b> (1013 hPa)		150 - 400	°C	
Decomposition temperature :	( 1013 hPa )		Not determined		
Evaporation rate			Not determined		
Flash point :		ca.	80	°C	CC
Ignition temperature :			Not determined		
Flammability (gas, solid)			Not determined		
Lower explosion limit :			Not determined		
Upper explosion limit :			Not determined		
Explosive properties			Not determined		
Density :	(20 °C)	ca.	1,1	g/cm <sup>3</sup>	
Water solubility :	(20 °C)		insoluble		
PH value :			not applicable		
Viscosity :	(20 °C)		Not determined		
Oxidising properties			Not determined		
Partition coefficient n- octanol/water	Not determined				
Other information					

None

9.2

## **SECTION 10: Stability and reactivity**



Trade name :	Lacq Stockholmer tar		
Revision date :	11.09.2014	Version (Revision) :	1.0.1 (1.0.0)
Date of print :	16-09-2014		

#### 10.1 Reactivity

No information available.

- **10.2 Chemical stability** No information available.
- **10.3 Possibility of hazardous reactions** No information available.
- 10.4 Conditions to avoid

Stable under recommended storage and handling conditions(See section 7 and 8).

## **10.5 Incompatible materials**

Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

## **10.6 Hazardous decomposition products**

When exposed to high temperatures may produce hazardous decomposition products such as carbon monoxide and dioxide, smoke, oxides of nitrogen.

## **SECTION 11: Toxicological information**

## **11.1 Information on toxicological effects**

No information available.

## 11.3 Other adverse effects

Prolonged inhalation of vapours in high concentrations may lead to headache, giddiness and nausea. Delayed reactions possible (breathing problems, coughs, asthma) Eye contact: irritation. Inhalation/eye contact: in high concentrations irritating to the mucous membranes, narcotic effect and influence on power of reaction and loss of coordination possible.

## **11.4 Additional information**

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

No information available.

- **12.2 Persistence and degradability** No information available.
- **12.3 Bioaccumulative potential** No information available.
- **12.4 Mobility in soil** No information available.
- **12.5 Results of PBT and vPvB assessment** No information available.
- 12.6 Other adverse effects No information available.
- 12.7 Further ecological information Additional information



Trade name : Revision date : Date of print : Lacq Stockholmer tar 11.09.2014 16-09-2014

Version (Revision) :

1.0.1 (1.0.0)

Product should not be released into water without pre-treatment (biological sewage plant).

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

Product/Packaging disposal

Waste treatment options

#### Appropriate disposal / Package

Contaminated packages must be completely emptied and can be re-used following proper cleaning. The generation of waste should always as far as possible be avoided, or be limited to a minimum. Disposal of this product, solutions and any by-products should at all times be in accordance with applicable legislation in the field of environmental protection and waste disposal legislation and any other regional or local regulations.

## **SECTION 14: Transport information**

#### 14.1 UN number

No dangerous goods in sense of this transport regulation.

#### 14.2 UN proper shipping name

No dangerous goods in sense of this transport regulation.

14.3 Transport hazard class(es) No dangerous goods in sense of this transport regulation.

## 14.4 Packing group No dangerous goods in sense of this transport regulation.

14.5 Environmental hazards

No dangerous goods in sense of this transport regulation.

#### 14.6 Special precautions for user

None

## **SECTION 15: Regulatory information**

# <sup>15.1</sup> Safety, health and environmental regulations/legislation specific for the substance or mixture

None

#### **15.2 Chemical Safety Assessment**

Chemical safety assessments for substances in this preparation were not carried out.

## **SECTION 16: Other information**

#### 16.1 Indication of changes

02. Labelling according to Regulation (EC) No. 1272/2008 [CLP]  $\cdot$  02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] - Hazard components for labelling  $\cdot$  02. Labelling (67/548/EEC or 1999/45/EC)  $\cdot$  03. Hazardous ingredients

#### 16.2 Abbreviations and acronyms



Trade name :	Lacq Stockholmer tar		
Revision date :	11.09.2014	Version (Revision) :	1.0.1 (1.0.0)
Date of print :	16-09-2014		

#### None

#### 16.3 Key literature references and sources for data None

## 16.5 Relevant R-, H- and EUH-phrases (Number and full text)

H226	Flammable liquid and vapour.
H302+H312+H332	Harmful if swallowed, in contact with skin or if inhaled.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.
10	Flammable.
20/21/22	Harmful by inhalation, in contact with skin and if swallowed.
36/38	Irritating to eyes and skin.
43	May cause sensitization by skin contact.
51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
65	Harmful: may cause lung damage if swallowed.

## 16.6 Training advice

Make sure that employees are aware of the safety risk. People wearing breathing apparatus must be appropriately trained.

## 16.7 Additional information

The details in this material safety data sheet satisfy national and EC legislation. We have no knowledge or control over the user's working conditions however. The product may not be used for any purpose other than that specified in chapter 1 unless written consent has been obtained. The user is responsible for the observance of all required statutory provisions.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.